

# TEST REPORT

Report No.: YNHN230821-48694E

Date: August 29, 2023

Page 1 of 6

ADC PLASTIC., JSC

Rd. D1, Yen My II Industrial Zone, Yen My, Hung Yen, Vietnam

Report on the submitted samples said to be:

Sample Description:	Calmast PP1213, PP1819
Style/Item No.:	Calmast PP1213, PP1819
Sample material:	Calmast PP
Sample quantity:	1
Supplier :	ADC PLASTIC., JSC
Manufacturer :	ADC PLASTIC., JSC
Country of Destination :	Viet Nam
Country of Origin :	Viet Nam
Sample Receiving Date:	August 21,2023
Testing Period:	August 21,2023 - August 29,2023
Result:	Please refer to next page(s).

Signed for and on behalf of

BACL



Checked by: \_\_\_\_\_

Nguyen Thanh Hang



Approved by: \_\_\_\_\_

William Wei



# TEST REPORT

Report No.: YNHN230821-48694E

Date: August 29, 2023

Page 2 of 6

\*\*\*\*\*

Summary of Test Result:

<u>TEST REQUEST</u>	<u>CONCLUSION</u>
A. FDA food Contact Article test	
A.1 Polypropylene homopolymer in accordance with 21 CFR 177.1520(Tested parts are required partially by client)	Pass

\*\*\*\*\*



# TEST REPORT

**Report No.: YNHN230821-48694E**

Date: August 29, 2023

Page 3 of 6

**Result:**

Tested part(s):

(1) TRANSLUCENT PP (CALMAST PP1213, PP1819)

\*\*\*\*\*

# TEST REPORT

Report No.: YNHN230821-48694E

Date: August 29, 2023

Page 4 of 6

**A. FDA food Contact Article test**

**A.1 Polypropylene homopolymer in accordance with 21 CFR 177.1520 (Tested parts are required partially by client)**

Test method: FDA 21 CFR 177.1520

Item	Unit	RL	Result	Limit
			(1)	
Melting Point	°C	/	170	150-180
Extractable fraction in n-hexane at reflux temperature for 2 hours	%	0.5	1.2	6.4
Extractable fraction in xylene for dissolved at 120°C, then cool to 25°C for 1 hours	%	0.5	1.0	9.8
<b>Conclusion</b>	/	/	<b>Pass</b>	/

Note:

- RL = Report Limit

\*\*\*\*\*


# TEST REPORT

Report No.: YNHN230821-48694E

Date: August 29, 2023

Page 5 of 6

Photograph of Sample



BACL authenticate the photo on original report only

# TEST REPORT

**Report No.: YNHN230821-48694E**

Date: August 29, 2023

Page 6 of 6

Statement:

- 1.This report cannot be reproduced except in full, without prior written approval of the Company.
- 2.Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
- 3.This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
- 4.Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
- 5.The information which provided by the applicant, such as sample description, sample name, material component, style/item No. , P.O. No. , manufacturer, age phase, the laboratory is not responsible for its authenticity and this information can affect the validity of the result in the test report.
- 6.The test samples were in good condition before testing.
- 7.The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor K with the 95% confidence interval.

\*\*\* End of Report \*\*\*