

REPORT No.: YNHN230526-29563E

Date: May 31, 2023

Page 1 of 5

ADC PLASTIC., JSC No.14-15, A18-BTSL2, Le Trong Tan Str., An Khanh, Hoai Duc, Ha Noi, Vietnam

Report on the submitted samples said to be:

Sample Description	:	Sample2: Calmast PP (MF530, MF550, MF570, MN570)
Style/Item No.	:	Sample2: Calmast PP (MF530, MF550, MF570, MN570)
Sample Quantity	:	01
Supplier	:	ADC Plastic., JSC
Manufacturer	:	ADC Plastic., JSC
Country of Origin	:	Vietnam
Country of Destination	:	Vietnam
Sample Receiving Date	:	May 26, 2023
Testing Period	:	From May 26, 2023 to May 31, 2023
Result	:	Please refer to next page(s).

Summary of Test Result:

TES	<u>ST REQUEST</u>	CONCLUSION
1.	Polycyclic Aromatic Hydrocarbons (PAHs) Content	Data
2.	Total Lead, Cadmium, Mercury and Hexavalent Chromium Content	Data

Signed for and on behalf of BACL

Checked by:

Nguyen Thanh Hang

سنري: 1 Approved by:

William Wei

Bay Area Compliance Laboratories Corp. (Vietnam) Lot A2 CN1, Tu Liem Small and Medium Industrial Cluster, Minh Khai Ward, North Tu Liem District, Hanoi City, Vietnam Tel: +84 24 3204 5882



REPORT No.: YNHN230526-29563E

Date: May 31, 2023

Page 2 of 5

Result:

Tested part(s):

1) Translucent plastic film (PP)

1, Polycyclic Aromatic Hydrocarbons (PAHs) Content

<u>Test method</u>: With reference to AfPS GS 2019:01 PAK, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

Items	CAS No	Unit	RL	Results (1)
Benzo[a]anthracene (BaA)	56-55-3	mg/kg	0.2	N.D.
Benzo[a]pyrene (BaP)	50-32-8	mg/kg	0.2	N.D.
Benzo[b]fluoranthene (BbFA)	205-99-2	mg/kg	0.2	N.D.
Benzo[e]pyrene (BeP)	192-97-2	mg/kg	0.2	N.D.
Benzo[j]fluoranthene (BjFA)	205-82-3	mg/kg	0.2	N.D.
Benzo[k]fluoranthene (BkFA)	207-08-9	mg/kg	0.2	N.D.
Chrysene (CHR)	218-01-9, 1719-03-5	mg/kg	0.2	N.D.
Dibenzo[a,h]anthrancene (DBA)	53-70-3	mg/kg	0.2	N.D.

Note:

- N.D. = Not Detected or less than RL
- RL = Report Limit
- mg/kg = ppm

Bay Area Compliance Laboratories Corp. (Vietnam)

Lot A2 CN1, Tu Liem Small and Medium Industrial Cluster, Minh Khai Ward, North Tu Liem District, Hanoi City, Vietnam Tel: +84 24 3204 5882



REPORT No.: YNHN230526-29563E

Date: May 31, 2023

Page 3 of 5

2. Total Lead, Cadmium, Mercury and Hexavalent Chromium content

Test method:

Lead, Cadmium& Mercury Content:

Acid digestion and analysis was performed by Inductively Coupled Plasma-Optical Emission Spectrometer (ICP-OES). Hexavalent Chromium Content:

Extraction and analysis was performed by UV-visible spectrophotometer (UV-Vis).

Items	Unit	RL	Results
nems			(1)
Lead Content (Pb)	mg/kg	10	N.D.
Cadmium Content (Cd)	mg/kg	5	N.D.
Mercury Content (Hg)	mg/kg	10	N.D.
Hexavalent Chromium (Cr6+)	mg/kg	3	N.D.

Note:

- N.D. = Not Detected or less than RL
- RL = Report Limit
- % = Percentage by weight
- mg/kg = ppm; 0.1%=1000 mg/kg
- Photo is included

Bay Area Compliance Laboratories Corp. (Vietnam)



REPORT No.: YNHN230526-29563E

Date: May 31, 2023

Page 4 of 5

Photograph of Sample



BACL authenticate the photo on original report only



REPORT No.: YNHN230526-29563E

Date: May 31, 2023

Page 5 of 5

Directions:

- 1. This report cannot be reproduced except in full, without prior written approval of the Company.
- 2. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
- 3. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
- 4. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
- 5. The information which provided by the applicant, such as sample description, sample name material component, style/item No., P.O. No., manufacture, age phase, the laboratory is not responsible for its authenticity and this information can affect the validity of the result in the test report.
- 6. The test samples were in good condition before testing.
- 7. The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor K with the 95% confidence interval.

*** End of Report ***

Bay Area Compliance Laboratories Corp. (Vietnam)